



Township / Range Lines:

East line of Range 3W in Township 36N




Indiana Historical Land Survey Documents project - LW & CJH, 2021
Surveyed: 5/1834

T 86 S R 2 & 3 N 2 M

Range line between
2 & 3 N Michigan Road
Lands Surveyed by
William Clark May
24th 1834

N



T 36 N R line between 2 & 3 M.

N 135° E on line M. B. L. 2 & 3 M. 2. M.

S W corner of T. 36. N R 2 M.

12.50 Vails creek 25' S. E. bush corner

15. leave marsh enter timber

34.50 Hickory 8 in

40. Set $\frac{1}{4}$ Sec post

beams { y oak 12 in S 63 W 30

} y oak 24 in S 42 E 1.10

80. leave timber enter prairie

Set post corner to 30 & 31

beams { Oak 14 in N 9 E 95

do 18 in S 29 E 3.30

Land 15 chains S end marsh
creek bottoms. the remainder

Timber level Sandy prairie

B. oak. y. oak W. oak & Hickory

R. line between 2 & 3 N 2 M

N 1.35 E From Sec corner 30 & 31 on line M.R.L.

1.60 Sec corner M.R.L.

40. Set $\frac{1}{4}$ Sec post raise mound

42.46 $\frac{1}{4}$ Sec post M.R.L.

80. Set post raise mound

Land smooth dry prairie / State

R. line between 283 & 2 M.³

8.16. Fram corners 30 & 19 an line M.R.L.

8.23 port corner an M.R.L.

40. Set $\frac{1}{4}$ Sec port raise mound

44.40 $\frac{1}{4}$ Sec port M.R.L.

85.54 85.54 Intersect line between

Sec 18 & 19 line M.R.L.

Land Smooth dry place

1st rate

May 27 / 1834

S

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

8.23.18

